TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG
MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station, Newport, R. I. MONTH OF March 1961

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2570		175	24	5,700		
EXPENDED	310		75	1	3,200		
REMAINING	2260		100	23	2500		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

	FOG SIGNAL	RADIO BEACON		
		LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	772.10 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	54.00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	826.10 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
16585 BOATS (BY NO.)		X X			
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks L/S	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

"J""W" Owens, BM1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 1 Mar. 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	Calm		30.06	—	34	C	—	—	8	—	—
0400	Calm		30.14	—	28	C	—	—	8	—	—
0800	NE	2	30.22	—	32	C	—	—	8	—	—
1200	SE	3	30.17	—	41	O	—	—	8	—	—
1600	SE	3	30.09	—	36	O	—	—	8	—	—
2000	SE	3	29.94	—	33	S	—	—	4	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2570	24	5700
EXPENDED	10	—	100
REMAINING	2560	24	5600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
2000	2400	4	—										
TOTAL FOR DAY		4	—		TOTAL FOR DAY								
TOTAL FOR MONTH		4	—		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0630 Secured main Light

J. W. Owens BM1

0800 - 1200

0800 Colors - Turn to - Quarters for inspection

1045 Difrancesco, David B. FNEN (333-139) reported aboard this unit for TD

1200 Chow

1300 Turned to - finished painting chairs and assisted civilian electrician working on generator

1600 Secured from work

R. Sutton

1600 - 2400

1730 Main light on - colors

2000 Checked all vis a/n - Turned on fog signal and Gullrocks bell

R Sutton

CERTIFIED TO BE CORRECT

J. W. Owens

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 2 March 1961 LOCATION Newport Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	29.90	—	35	S	—	—	4	—	—
0400	SE	2	29.86	—	38	S	—	—	6	—	—
0800	SE	3	29.82	—	44	BC	—	—	8	—	—
1200	SE	3	29.84	—	46	BC	—	—	8	—	—
1600	SE	3	29.92	—	50	BC	—	—	8	—	—
2000	SW	2	30.00	—	36	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2560	24	5600
EXPENDED	10	—	100
REMAINING	2550	24	5500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0000	0600	6	—	
TOTAL FOR DAY		6	—	
TOTAL FOR MONTH		10	—	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 – 0800

0000 Checked all visible A/N
0400 Checked all vis. A/N
0600 Secured Fog Signal & Gull Rocks Bell
0630 Secured Main Light.

D.P. DiFrancesco

0800 – 1600

0800 - Colors - Turned to painting furniture
0830 - Civilian Electrician from Woods Hole arrived to repair Generator.
1200 - Chow
1300 - Turn to - Cleaning in Fog horn shack.
1430 - Civilian Electrician departed.
1500 - First Aid Instructions
1600 - Secured from Work - Checked all Vis A/N

D.P. DiFrancesco

1600 – 2400

1930 Colors - Main Light
2000 Checked all Vis A/N

J. W. Owen

CERTIFIED TO BE CORRECT

J W Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 3 March 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.00	—	40	BC	—	—	8	—	—
0400	SW	3	29.98	—	38	BC	—	—	8	—	—
0800	SW	3	29.96	—	42	BC	—	—	8	—	—
1200	SW	4	29.92	—	44	BC	—	—	8	—	—
1600	SW	4	29.88	—	46	BC	—	—	8	—	—
2000	SW	2	29.90	—	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2550	24	5500
EXPENDED	10	—	100
REMAINING	2540	24	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		10	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all Vis A/N

0400 checked all Vis A/N

0630 Secured main Light.

J V Owen

0800-1600

0800 Morning colors Turn too cleaning in Fog signal Bldg + painting in basement.

1200 chow

1300 Station inspection - turn too.

1600 Secured from work checked local A/N

D.P. Di Francesco

1600-2400

1730 Colors, turned on main light

2000 checked all aids to nav.

J. V. Owen

CERTIFIED TO BE CORRECT

J. V. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 4 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.92	—	38	B	—	—	8	—	—
0400	Calm		29.98	—	40	BC	—	—	8	—	—
0800	calm		30.00	—	50	BC	—	—	8	—	—
1200	Calm		30.04	—	50	C	—	—	8	—	—
1600	calms		30.08	—	44	O	—	—	7	—	—
2000	calm		30.10	—	42	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2540	24	5400
EXPENDED	10	—	100
REMAINING	2530	24	5300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		10	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N
0630 Secured main Light.

D.P. DiFrancesco

0800 - 1600

0800 Colors - Turn to.
0915 Civilian Contractors aboard to measure for repairs to roof + Rooms.

1000 Civilian Contractors departed.
1015 Sutton, Richard L. Reported in by Land Line & Granted 48 hr. liberty to expire Monday 6 Mar.

1200 Chow
1300 Turn to Painting tool board in basement - Cleaning stove in fog horn shop.

1600 Secured from work, checked local A/N.

D.P. DiFrancesco

1600-2400

1830 Evening Colors, Turned on Main Light
2000 Checked all local A/N all watching properly

J V Owen

CERTIFIED TO BE CORRECT

J. V. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 5 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30-10	—	40	BC	—	—	8	—	—
0400	NE	2	30.00	—	36	C	—	—	8	—	—
0800	SE	2	30.00	—	42	Z	—	—	7	—	—
1200	CALM		29.94	—	42	F	—	—	3	—	—
1600	Calm		29.96	—	44	Z	—	—	7	—	—
2000	Calm		30.02	—	38	F	—	—	3	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2530	24	5300
EXPENDED	10	—	100
REMAINING	2520	24	5200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	~	

MAIN LIGHT Time Extinguished 0630-1530 Time Lighted 0830

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
0830	1530	7	—										
1930	2400	6	30										
TOTAL FOR DAY		13	30		TOTAL FOR DAY								
TOTAL FOR MONTH		23	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0630 Secured main light

J. V. Owen

0800 - 1600

0800 Colors.

0830 Started Fog signal, Gull Rocks Bell + main light

1200 Chow

1530 Secured Gull Rocks Bell, Fog signal & Main light.

Di Francesco, D.P.

1600 - 2400

1600 Checked all Vis A/N

1730 Turned on main light, evening colors

1930 Turned on Fog signal & Gull Rocks bell

2000 Checked all Vis A/N

J. V. Owen

CERTIFIED TO BE CORRECT

J. V. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 6 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	1	30.04	—	40	F	—	—	3	—	—
0400	NW	2	30.08	—	38	C	—	—	7	—	—
0800	NW	1	30.10	—	40	C	—	—	8	—	—
1200	E	3	30.12	—	40	C	—	—	5	—	—
1600	E	2	30.10	—	38	Z	—	—	7	—	—
2000	NE	3	30.09	—	36	Z	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2520	24	5200
EXPENDED	10	—	100
REMAINING	2510	24	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630
1430 Time Lighted 1030
1700

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG TIME START	FOG TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
0000	0200	2	—										
1030	1430	4	—										
1700	1830	1	30										
TOTAL FOR DAY		7	30		TOTAL FOR DAY								
TOTAL FOR MONTH		31	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Nav's A/N

0200 Secured Fog Signal + Gull Rocks Bell.

0400 Checked all Nav's A/N

0630 Secured main light.

0745 Quarters

J. W. Owen

0800 - 1600

0800 - Colors - Turn to.

1030 - Started Fog signal + Gull Rocks Bell + main light on

1200 - Chow

1300 - Held Damage Control + ABC Drill. Turn to

1430 - Secured Fog signal, Gull Rocks Bell.

J. W. Owen

1600 - 2400

1600 - Secured from Work - Checked all Nav's A/N

1700 - Started Fog signal, Gull Rocks Bell + main light

1700 Colors

1830 - Secured Fog signal + Gull Rocks Bell

2000 - Checked all Nav's A/N.

D.P. Di Francesco

CERTIFIED TO BE CORRECT

J. W. Owen

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 7 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.90	—	36	2	—	—	7	—	—
0400	NW	2	29.84	—	34	2	—	—	7	—	—
0800	WSW	2	29.80	—	36	F	—	—	5	—	—
1200	SW	2	29.78	—	44	BC	—	—	8	—	—
1600	SE	3	29.60	—	66	B	—	—	8	—	—
2000	SE	3	29.92	—	42	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2510	24	5100
EXPENDED	10	—	100
REMAINING	2500	24	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~0630~~ ~~1130~~ 1030 Time Lighted ~~1030~~ 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0600	1030	4	30	
TOTAL FOR DAY		4	30	
TOTAL FOR MONTH		35	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START _____ TIME STOP _____

RADIOBEACON TEST

TIME START _____ TIME STOP _____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

(0000 - 0800)

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0600 Started fog signal & Gull Rocks bell

0745 Quarters.

J. V. Owen

(0800-1600)

0800 Colors - Turn to

1030 Secured fog signal main light and Gull Rocks bell

1200 Chow

1300 Quarters - Fire drill - turn too.

(1600-2400) D. P. Di Francesco

1600 Secured work Checked on visible A/N

1730 Turned on main light - Evening colors.

2000 Checked all local A/N all watching properly

D. P. Di Francesco

CERTIFIED TO BE CORRECT

J. V. Owens BMC
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light House Station

DATE Wednesday 8, March 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	2	30.00	-	36	B	—	—	8	—	—
0400	SE	2		—	36	BC	—	—	8	—	—
0800	SE	2	30.10	—	36	BC	—	—	8	—	—
1200	SE	2	30.07	—	36	O	—	—	8	—	—
1600	SE	3	29.89	—	34	O	—	—	6	—	—
2000	SE	4	29.75	—	33	S/R	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2500	24	5000
EXPENDED	10	—	100
REMAINING	2490	24	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~1030~~ 0630 Time Lighted 1700

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
~~0600~~	~~1030~~	~~4~~	~~30~~	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		35	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

(0000-0800)

0000 Checked all A/N
0400 Checked all A/N
0630 Secured Main Light
0745 Quarters

Di Francesco, D.P.

(0800-1600)

0800 Colors - Turn Too
1200 Chow
1300 Safty Instruction - turn too.
1600 Secured work - Checked all vis a/n
1700 Turned on main light, fog signal & Gull rocks bell + Colors
2000 Checked all vis a/n + Turned off fog signal and Gull Rocks bell

R. Dutton

CERTIFIED TO BE CORRECT

J. W. Arns BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light House Station

DATE Thrusday 9, March 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	4	2957	—	33	b/c	—	—	8	—	—
0400	SE	4	2935	—	38	0	—	—	8	—	—
0800	SE	4	29.04	—	40	0	—	—	2	—	—
1200	NW	3	29.06		40	BC	—	—	8	—	—
1600	NW	4	29.10		37	BC	—	—	8	—	—
2000	NW	4	29.16		38	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2490	24	4900
EXPENDED	-10	—	-100
REMAINING	2480	24	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0930 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0600	0930	3	30	
TOTAL FOR DAY		3	30	
TOTAL FOR MONTH		38	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

(0000-0800)

0000 Chegked all vis a/n
0400 Checked all vis a/n
0600 Turned on fog signal and Gull Rocks bell
0745 Quarters

D.P. Di Francesco

(0800-1600)

0800 Colors - turn too
0930 Secured main light & Fog signal
1200 Chow
1300 First aid - Turn Too
~~16~~

Di Francesco, D.P.

(1600-2400)

1600 Secured Work
1730 Turned on main light - Evening colors
2000 Checked all local A/N & watching properly.

D.P. Di Francesco

CERTIFIED TO BE CORRECT

J. W. Owen BMC
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light House Station

DATE Friday 10, March 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.25	—	33	B/C	—	—	8	—	—
0400	NW	3	29.32	—	35	B/C	—	—	8	—	—
0800	NW	3	29.44	—	34	B/C	—	—	8	—	—
1200	NW	3	29.44	—	39	B/C	—	—	8	—	—
1600	NW	6	29.52	—	38	B/C	—	—	8	—	—
2000	NW	7	29.65	—	25	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2480	24	4800
EXPENDED	10	—	-100
REMAINING	2490	24	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		39	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

(0000 – 0800)

0000 Checked all local A/N all watching properly.
0400 Checked all local A/N all watching properly.
0630 Turned off main light.
0745 Quarters

D.P. Di Francesco

(0800 – 1600)

0800 Colors Turn too
1115 Di Francesco, David P. FNEN (883-133) transfered to Group Office Newport
1200 Chow
1300 Turned to – Inspection of Station

R. Patton SN

1600 – 2000

1600 Secured work – Checked all vis A/N
1730 Turned on main light – Colors
2000 Checked all vis AN

J. W. Owens BM1

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light House Station

DATE Saturday 11, March, 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	6	29.72	—	22	B/c	—	—	8	—	—
0400	NW	6	29.81	—	20	B	—	—	8	—	—
0800	NW	6	29.88	—	24	BC	—	—	8	—	—
1200	NW	6	29.90	—	36	BC	—	—	8	—	—
1600	NW	4	29.90	—	34	BC	—	—	8	—	—
2000	W	2	29.97	—	33	B/c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2470	24	4700
EXPENDED	10	—	100
REMAINING	2460	24	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY		—		
TOTAL FOR MONTH		39	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 checked all vis a/n
0400 checked all vis a/n
0630 Turned off main light

0745 Quarters

R. Sutton

0800-1600

0800 - Colors - Maint.
1200 - Chow
1300 - Maint.

J W Owens

1600-2400

1600 - Secured from Work -
checked all vis a/n
1930 - Turned on main light - Colors
2000 - Checked all vis a/n

R Sutton

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light House Station

DATE Sunday, 12 March 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		3002	—	32	0	—	—	8	—	—
0400	calm		3004	—	32	0	—	—	8	—	—
0800	calm		30.12	—	34	c	—	—	8	—	—
1200	calm		30.14	—	36	c	—	—	8	—	—
1600	Calm		30.16	—	38	c	—	—	8	—	—
2000	Calm		30.20	—	34	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2460	24	4600
EXPENDED	10	1	100
REMAINING	2450	23	4500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		39	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000. Checked all vis A/N
0400 Checked all vis A/N
0630. Secured main light.

J. W. Owen BM1

0800-1600

0800 - Colors - Turned to - checked all vis a/n
1200 - Chow

R Sutton

1600-2400

1600 Checked all vis A/N
1730 Main light On - Colors
2000 Checked all vis A/N

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 13 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.25	-	33	B/c	—	—	8	—	—
0400	NW	2	30.30	-	33	B/c	—	—	8	—	—
0800	NW	2	30.34	-	38	BC	—	—	8	—	—
1200	NW	2	30.36	-	42	BC	—	—	8	—	—
1600	W	2	30.30	-	40	C	—	—	8	—	—
2000	W	2	30.30	-	36	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2450	23	4500
EXPENDED	10	—	100
REMAINING	2440	23	4300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	2	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
2330	2400	-	30	
TOTAL FOR DAY		—	30	
TOTAL FOR MONTH		39	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all A's A/N
0400 Checked all A's A/N
0630 Secured main Light
0745 Quarters

J. W. Owen

0800 - 1600

0800 - Colors - Turn to.
1000 - White, Louis C. (328-539) EN2 Reported for duty.
1200 - Chow
1400 - Set Condition One - Recalled Sutton, R.L. off liberty

J W Owen

1600 - 2400

1600 Checked all A's A/N - Secured from work.
1730 Main Light on - - Colors
2000 Checked all A's A/N -
2330 Started compressor & Fog-horn & Gull Rock Bell

L C White

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 14 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	2	30:30	—	34°	S	—	—	4	—	—
0400	NW	2	30.20	—	30	C	—	—	7	—	—
0800	NE	4	30.10	—	32	R	—	—	7	—	—
1200	NE	4	29.90	—	40	R	—	—	7	—	—
1600	NE	3	2960	—	36	R	—	—	7	—	—
2000	NE	2	29.54	—	32	Z	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2440	23	4300
EXPENDED	10	0	100
REMAINING	2430	23	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	0030		30	
TOTAL FOR DAY			30	
TOTAL FOR MONTH		10	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked Vis. A/N
0030 secured Fog Horn & Gull Rock Bell
0400 Checked All Vis A/N
0630 Secured main light
0745 Quarters

J. W. Owen

0800 - 1600

0800 Colors - Turn to
1200 Chow
1300 Turn to - Fire Drill
1600 Checked All Vis A/N - Secured brass work

J. W. Owen

~~17~~ 1600 - 2400

1730 Main Light On - Colors
2000 Checked All Vis A/N

L. L. White

CERTIFIED TO BE CORRECT

J. W. Owens BM 1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 15 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.50	-	30	C	-	-	8	-	-
0400	NW	2	29.50	-	28	C	-	-	8	-	-
0800	W	2	29.52	-	36	BC	-	-	8	-	-
1200	W	3	29.46	-	50	BC	-	-	8	-	-
1600	SE	2	2940	-	50	B-C	-	-	8	-	-
2000	SE	2	29:50	-	46	B-C	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2430	23	4200
EXPENDED	10	-	100
REMAINING	2420	23	4100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		-	-		TOTAL FOR DAY								
TOTAL FOR MONTH		40	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked All Vis A/N

0400 Checked All Vis A/N

0630 Main Light secured.

0745 Quarters.

J. W. Owen

0800-1600

0800 Colors - Turn to.

0845 - Civilian Contractors arrived

1200 - Chow

1300 - Turn to - Safety Instructions

1600 - Check All visible A/N - Secured from Work

L. G. White

1600-2400

1730 turned on Main Light - Colors

2000 - Checked All Vis A/N

L. G. White

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday March 16, 1961 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2950	—	40	C	—	—	8	—	—
0400	SW	2	29.50		36	C	—	—	8	—	—
0800	SW	2	29.50		36	C	—	—	8	—	—
1200	NE	2	2940		55	BC	—	—	8	—	—
1600	NE	2	2950		48	B-C	—	—	8	—	—
2000	N	4	2964		31	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2420	23	4100
EXPENDED	10	—	100
REMAINING	2410	23	4000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		40	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0630 Secured main light

0745 Quarters

J. W. Owens BM1

0800 - 1600

0800 Colors - Turn to.

0930 - J. W. Owens BM1 Departed for liberty

1200 Chow

1300 First Aid Drill

1615 Sutton SN Reported back from liberty

1730

L White

1600 - 2200

1600 Secured from Work. Check all visible A/N

1730 turned on light - Colors

2000 Checked All visible A/N

L J White

1600 - 2400

1600 Checked all vis A/N - Secured from work

CERTIFIED TO BE CORRECT

J.W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday March 17 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	7	29.73	–	23	B	–	–	8	–	–
0400	NW	7	29.85	–	23	B	–	–	8	–	–
0800	NW	6	2996	–	24	B	–	–	8	–	–
1200	NW	4	30.01	–	34	B	–	–	8	–	–
1600	NW	3	30.04	–	38	B	–	–	8	–	–
2000	NW	3	30.30	–	24	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2410	23	4000
EXPENDED	10	–	100
REMAINING	2400	23	3900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		–		
TOTAL FOR MONTH		40	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis a/n
0400 checked all vis a/n
0630 Secured main light
0945 Quarters

G. Sutton

0800 - 1600.

0800 - Colors - turned to
0915 - Contractors arrived for work
1200 - Chow
1300 - Turn to - Inspection of station.
1600 - Secured from work. Check all visible a/n.

L. G. White

1600 - 2400

1620 - Civilians departed from Island
1730 - turned on main light - Colors secured for power
2200 = Check all visible a/n

L. G. White

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 18 March, 1961 (Saturday) LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.32	—	22	C	—	—	8	—	—
0400	NW	2	30.38	—	22	C	—	—	8	—	—
0800	NW	2	30.43	—	25	B/C	—	—	8	—	—
1200	NW	2	30.48	—	39	B	—	—	8	—	—
1600	NW	2	30.34	—	32	B	—	—	8	—	—
2000	NW	2	30.34	—	31	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2400	23	3900
EXPENDED	10	—	100
REMAINING	2390	23	3800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1730

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—	—		TOTAL FOR DAY								
TOTAL FOR MONTH		40	50		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

00:00 - 08:00

0000 Checked visible A/N
0400 checked visible A/N
0630 Secured main light
0745 Quarters

R. Sutton

0800 - 1600

0800 - Colors - turned to cleanup dust from contractors
1200 - Chow
1300 - turn to

R. Sutton

1600 - 2400

1600 Secured from work
1730 Turned on Main Light Checked vis. A/N - Colors
2000 Checked Vis. A/N
2200 checked Vis. A/N

R. Sutton

CERTIFIED TO BE CORRECT

J W [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE 19 March 1961 (Sunday) LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW		30.22	—	31	O	—	—	8	—	—
0400	SW		30.20	—	32	O	—	—	7	—	—
0800	SW		30.15	—	32	S	—	—	6	—	—
1200	Calm		30.08	—	35	O	—	—	8	—	—
1600	~~Calm~~ NW		29.86	—	31	S	—	—	8	—	—
2000	NW	2	29.90	—	30	S	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2390	23	3800
EXPENDED	10	—	100
REMAINING	2380	23	3700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1200 Time Lighted 1730

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0630	1200	5	30	
1730	2100	3	30	
TOTAL FOR DAY		9	00	
TOTAL FOR MONTH		49	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

000 – 0400

0000 checked all vis a/n

0400 checked all vis a/n

0600 Turned on fog signal & gull rocks bell

0800-1600

R. Sutton

0800 colours

1200 chow – Secured main light, fog signal & Gull rocks bell

1600 – 2400

1600 Checked Vis A/N

R Sutton

1735 Turned on fog horn & gull rock bell
Main light on – Colors

2100 secured fog horn & gull rock bell

R Sutton

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Monday 20 March 1961 LOCATION Newport, RI
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	6	29.98	—	33	B/C	—	—	8	—	—
0400	NW	6	30.04	—	35	B/C	—	—	8	—	—
0800	NW	4	30.08	—	38	B	—	—	8	—	—
1200	NW	3	30.06	—	48	BC	—	—	8	—	—
1600	NW	3	30.15	—	45	B/C	—	—	8	—	—
2000	NW	3	30.23	—	36	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2380	23	3700
EXPENDED	10	—	-100
REMAINING	2390	23	3600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted ~~1546~~ RLS 1800

FOG SIGNAL (Low visibility only) / RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		49	00		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all vis a/n

0400 checked all vis a/n

0630 Secured main light

0745 Quarters R Sutton

0800 - 1600

0800 colours - turned to

1200 chow

1300 turned to

1300 White, Louis EN2 Departed on liberty

1600 - 2400

1600 Secured from works

1800 Turned on main light - Colors

2000 checked all vis a/n

R Sutton

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 21 March 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	3	30.28	—	30	BC	—	—	8	—	—
0400	NW	4	30.34	—	20	BC	—	—	8	—	—
0800	NW	4	30.40	—	28	B	—	—	8	—	—
1200	NW	3	30.38	—	43	BC	—	—	8	—	—
1600	SE	3	30.28	—	45	B/C	—	—	8	—	—
2000	SE	2	30.31	—	32	B/C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2370	23	3600
EXPENDED	10	—	100
REMAINING	2360	23	3500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY		—		
TOTAL FOR MONTH		49	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all vis A/N

0400 Checked all vis A/N

0600 Secured main light

0745 Quarters

J. W. Owens

0800 - 1600

0800 Colors - Turn to

1000 - Sutton, Richard L. departed for Castle Hill LBS to work on boat.

1200 Chow

1300 Turn to.

J. W. Owens

1600 - 2400

1600 - Secured from work - Checked all vis A/N

* 1800 - Main light on - Colors

2000 - Checked all vis A/N

* 1630 - Sutton, R. L. Returned from Castle Hill LBS.

R. Sutton

1

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island light Station

DATE Wednesday 22 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.30	—	30	Bc	—	—	8	—	—
0400	Calm		30-26	—	28	Bc	—	—	8	—	—
0800	NW	~	30-24	—	34	Bc	—	—	8	—	—
1200	NW	~	30.18	—	52	Bc	—	—	8	—	—
1600	SW	2	30.12	—	40	Bc	—	—	8	—	—
2000	SW	1	30.17	—	34	B/c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2360	23	3500
EXPENDED	10	—	100
REMAINING	2350	23	3400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	~	

MAIN LIGHT Time Extinguished 0600 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		49	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0600 Secured main light.
0745 Quarters

J. W. Owen

0800 - 1600

0800 Colors - Turn to
0900 Sutton, R. L. SN. departed for Castle Hill to work on boat
1200 Chow
1300 Turn to
~~1600~~90

J. W. Owen

1600 - 2400

1600 Secured from work.
1620 Sutton, R.L. Returned from Castle Hill LBS.
1800 Turned main lights on - Colors
2000 Checked all vis a/n

R Sutton

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs. 23 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.12	—	32	c	—	—	8	—	—
0400	Calm		30.10	—	32	c	—	—	8	—	—
0800	SE	2	30.08	—	40	c	—	—	8	—	—
1200	E	3	30.00	—	50	c	—	—	8	—	—
1600	E	4	29.92	—	44	c	—	—	8	—	—
2000	NE	2	29.90	—	38	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2350	23	3400
EXPENDED	10	—	100
REMAINING	2340	23	3300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		49	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Xis A/N

0400 Checked all Xis A/N

0600 Secured main light

0745 Quarters.

J. W. Owen

0800 - 1600

0800 Colors - Turn to

0930 Civilian Contractor Arrived.

1200 Chow

1300 Turn to

1600 - 2400

J. W. Owen

1600 Secured from work.

1630 Civilian Contractors departed - White L.G. Returned to Castle [illegible]

1800 Main Light on - Colors -

2000 Checked All Xis A/N

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 24 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.84	—	34	R	—	—	7	—	—
0400	NW	4	2976	—	32	R	—	—	7	—	—
0800	NW	4	2974	—	36	R	—	—	6	—	—
1200	NW	3	29.76	—	38	C	—	—	8	—	—
1600	NW	2	29.76	—	36	C	—	—	8	—	—
2000	NW	2	29.74	—	34	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2340	23	3300
EXPENDED	10	—	100
REMAINING	2330	23	3200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 - 1000 Time Lighted 0730 - 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0730	1100	3	30	
TOTAL FOR DAY		3	30	
TOTAL FOR MONTH		52	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0600 Secured main light.

0730 Started Fog Signal, Gull Rocks Bell - Main Light on

0745 Quarters.

J. W. Owen

0800-1600

0800 Colors

0830 Civilian contractors arrived on board.

1100 Secured Fog Signal, Gull Rocks Bell + Main Light.

1200 Chow.

1300 Turn to

J. W. Owen

1600 - 2400

1600 Secured from work

1615 Civilian contractors departed.

1930 Gull Rocks Light inoperative - Castle Hill notified

2000 Check all aids to navigation

2040 Gull Rocks Light in normal operation.

J. W. Owen

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 25 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.72	–	34	c	–	–	8	–	–
0400	Calm		29.70	–	36	z	–	–	8	–	–
0800	Calm		29.70	–	40	z	–	–	7	–	–
1200	NW	3	29.74	–	46	c	–	–	8	–	–
1600	NW	4	29.76	–	46	c	–	–	8	–	–
2000	NW	4	29.82	–	40	c	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2330	23	3200
EXPENDED	10	–	100
REMAINING	2320	23	3100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		–			TOTAL FOR DAY								
TOTAL FOR MONTH		52	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all Vis A/N
0400 Checked All Vis A/N
0600 Secured main Light
0745 Quarters.

J. W. Owen.

0800-1600

0800 Colors - Turn to.
1030 Recd small craft warnings from Castle Hill L.B.S.
1200 Chow
1300 Turn to.

J. W. Owen

1600-2400

1600 Secured from work. Checked all Vis A/N
1800 Main Light on - Colors
2000 Checked All Vis A/N

J W Owen.

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 26 March 1961 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.84	—	36	C	—	—	8	—	—
0400	NW	4	29.90	—	34	C	—	—	8	—	—
0800	NW	4	29.94	—	38	BC	—	—	8	—	—
1200	NW	2	29.98	—	48	BC	—	—	8	—	—
1600	NW	2	29.92	—	50	BC	—	—	8	—	—
2000	NW	2	29.94	—	42	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2320	23	3100
EXPENDED	10	—	100
REMAINING	2310	23	3000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		52	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0600 Secured main light.

J. W. Owen Bm.

0800 - 1600

0800 Colors -

1200 Chow

#

J. W. Owen

1600 - 2400

1600 - Checked all Vis A/N

1800 - Main Light on - Colors - Lowered Small Craft Warnings -

2000 - Checked all Vis A/N

J W Owen

CERTIFIED TO BE CORRECT

J. W. Owen

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 27 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.98	—	40	BC	—	—	8	—	—
0400	Calm		29.98	—	36	BC	—	—	8	—	—
0800	Calm		30.00	—	42	BC	—	—	8	—	—
1200	Calm		30.00	—	45	BC	—	—	8	—	—
1600	NW	2	30.02	—	43	BC	—	—	8	—	—
2000	Calm		30.00	—	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2310	23	3000
EXPENDED	10	—	100
REMAINING	2300	23	2900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		52	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all Vis A/W
0400 Checked all Vis A/W
0600 Secured main Light.
0745 Quarters Sutton returned from liberty
J. W. Owens

0800-1600

0800 Colors - Turn to
1200 Chow
1300 turn to
1350 Sutton S.N. returned from Castel Hill L.G.W

1600-2400

1600 secured Checked Vis A/W.
1800. colors - turned on Main Light
2200 checked. Local A/P

L.G.W

CERTIFIED TO BE CORRECT

J. W. Owens
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 28 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29:90		40	BC			8		
0400	NW	2	2986		42	BC			8		
0800	SE	2	29:84		48	BC			8		
1200	SE	2	29:78		60	BC			8		
1600	SE	1	2970		58	BC			8		
2000	SE	1	2962		44	BC			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2300	23	2900
EXPENDED	10	1	100
REMAINING	2290	22	2800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—			TOTAL FOR DAY								
TOTAL FOR MONTH		52	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 Checked Vis A/N
0400 Checked Vis. A/N
0600 secured Main Light
0745 quarters

LGW

0800 - 1600

0800 Colors, turn to
1200 chow
1300 turn to

LGW

1600 - 2400

1600 Secured from Work
1800 colors & turned on Main light
Checked Vis A/N
2000 Checked Vis A/N

RLS

CERTIFIED TO BE CORRECT

J.W. Owens
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 29 March 1961 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	1	29.59	–	44	B/c	–	–	8	–	–
0400	NW	1	2956	–	44	O	–	–	7	–	–
0800	NW	3	2962	–	54	BC	–	–	7	–	–
1200	NW	2	2960	–	60	B	–	–	8	–	–
1600	NW	2	29.60	–	52	BC	–	–	8	–	–
2000	NW	2	29.66	–	48	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2290	22	2800
EXPENDED	10	0	100
REMAINING	2280	22	2700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	0630	1	30	
TOTAL FOR DAY		1	30	
TOTAL FOR MONTH		54	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0800

0000 checked all a/n

04000 checked all vis a/n

0500 Turned on fog synal + gull rocks bell

0515 Recieved SC Warnings from Castle hill for 6 am

– Winds ingreasing to 20-25 knots from NW –

0630 – secured fog horn & gull Island bell also Main light

0745 – quarters, Owens returned from Liberty

0800 - 1600

LKW

0800 Colors – turned to

1200 – Chow

1300 – Turn to

1600 – 2400

JWOwens

1600 – Secured from Work details – Checked All Vis A/N

1800 – Colors – Main Light on.

1830 – Notified Castle Hill LBS that North Light was not on –

1840 – North Light in normal operation.

2000 – Checked All Vis A/N.

J. W. Owens

CERTIFIED TO BE CORRECT

J. W. Owens

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 30 March 1961 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	✓	29.70	–	34	C	–	–	8		
0400	NW	✓	29.74	–	36	C	–	–	8		
0800	NW	2	29.76	–	42	C	–	–	8		
1200	NW	4	29.70	–	50	C	–	–	8	–	–
1600	NW	4	29.75	–	47	C	–	–	8	–	–
2000	NW	4	29.80	–	44	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2280	23	2700
EXPENDED	10	–	100
REMAINING	2270	23	2600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	✓	

MAIN LIGHT Time Extinguished 0600 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0600 Secured main light

0745 Quarters

J. W. Owen

0800-1600

0800 Colors - Turn to.

1200 Chow

1300 Turned to

J. W. Owen

1600-2400

1600 Secured brass work - Checked all a/n

1800 Colors - main light on

2000 Checked all a/n

R Sutton

CERTIFIED TO BE CORRECT

J. W. Owen
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 31 March 1961 LOCATION Newport Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	4	29.84	—	35	B	—	—	8	—	—
0400	NW	5	29.88	—	36	B	—	—	8	—	—
0800	NW	6	29.85	—	38	B	—	—	8	—	—
1200	W	6	29.82	—	40	B/C	—	—	8	—	—
1600	SW	7	29.80	—	39	O	—	—	8	—	—
2000	SW	2	2983	—	39	O	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2270	23	2600
EXPENDED	10	—	100
REMAINING	2260	23	2500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0600 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0800

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0600 Secured main Light.

0745 Quarters

J. W. Owen

0800-1600

0800 colors - Turned to

1200 Chow

1300 Turned to

J. W. Owen

1600-2000

1600 Secured from work

1800 Colours - main light on

2000 Checked all vis a/n

R. Sutton

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1